

HU-RN2232M



KEY FEATURES

- 32 Chanel input
- Up to 8Mp resolution recording
- Ultra 265, H.265, H.264
- 2 SATA HDD, up to 6TB for each HDD
- Support cloud upgrade
- Smart Function: Face detection, Intrusion detection, Cross line detection, Audio detection, Defocus detection, Scene change detection, Auto tracking, Face search, Behavior search, People counting

Specification

| | Model | HU-RN2232M |
|--------------------|----------------------|--|
| Video/Audio Input | IP video input | 32ch |
| | Two-way Audio Input | 1-ch, RCA |
| Video/Audio Output | HDMI/VGA output | HDMI: 4K (3840x2160)/1920x1080p/1600x1200 1280x1024/1280x720/1024x768 VGA: 1920x1080p/1280x1024/1280x720/1024x768 |
| | Two-way Audio output | 1ch, RCA |
| | Recording resolution | 8MP/5MP/4MP/3MP/1080p/960p/720p/960H/D1/2CIF/CIF |
| | Synchronous playback | 32ch |
| | Corridor mode screen | 3/4/5/7/9/10/12/16/32 |
| Network | Network interface | 2 RJ45 10/100/1000M- Ethernet |
| | Incoming Bandwidth | 160Mbps |
| | Output Bandwidth | 64Mbps |
| | Remote users | 128 |
| | Client | HU-Viewer, HU-VMS |
| Decoding | Video compression | Ultra 265/H.265/H.264 |
| | Live view/Playback | 8MP/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF |
| | Capability | 2CH x 4K@30fps, 3CH x 5MP@30fps, 4CH x 4MP@30fps, 5CHx3MP@30fps, 8CHx1080p@30fps, 16CHx720p@30fps, 32xD1 |
| Storage | Interface Type | 2 SATA |
| | Capacity | Up to 6TB for each disk |
| Smart | VCA Detection | Face detection, Intrusion detection, Cross line detection, Audio detection, Defocus detection, Scene change detection, Auto tracking |
| | VCA Search | Face search, Behavior search |
| | Statistical Analysis | People counting |
| External Interface | USB interface | 2 USB 2.0, 1 USB 3.0 |
| General | Power Supply | 12V DC, Max 15W(without HDD) |
| | Working enviromnet | -10°C ~ + 55°C (+14°F ~ +131°F), Humidity ≤ 90% RH(non-condensing) |
| | Dimension(WxDxH) | 380mm × 315mm ×53mm (15.0" × 12.4" ×1.9") |
| | Weight(without HDD) | 2.48kg |

Drawing

