


► KEY FEATURES




- 4 Chanel input
- Ultra 265, H.265, H.264
- Support Full HD Recording Resolution
- Third-party IP camera with ONVIF
- 1 SATA HDD, up to 8TB



► SPECIFICATION



REAR PANEL



► SPECIFICATION

Model	HU-RN1004P	
Video/Audio Input	IP video input	4ch
Video/Audio Output	HDMI/VGA output	HDMI: 1920x1080p/1600x1200 /1280x1024/1024x768 VGA: 1920x1080p/1600x1200/1280x1024 /1280x720 /1024x768
	Recording resolution	1080p/960p/720p/D1/2CIF/CIF
	Synchronous playback	4ch
	Corridor mode screen	3/4
Network	Network interface	1 RJ45 10/100M- Ethernet
	Incoming Bandwidth	40Mbps
	Output Bandwidth	40Mbps
	Remote users	128
	Client	HU-Viewer, HU-VMS
Decoding	Video compression	Ultra 265/H.265/H.264
	Live view/Playback	1080p/960p/720p/D1/2CIF/CIF
	Capability	2 x 1080p@30, 4 x 720p@30
Storage	Interface Type	1 SATA
	Capacity	Up to 8TB
External Interface	USB interface	2 USB2.0
General	Power Supply	12V DC Power Consumption: ≤3.2 W(without HDD)
	Working enviromnet	-10°C ~ + 55°C (+14°F ~ +131°F), Humidity ≤ 90% RH(non-condensing)
	Dimension(WxDxH)	205mm × 205mm × 42mm(8.1" × 8.1" × 1.7")
	Weight(without HDD)	0.51kg