

## HU-RN2209M



### KEY FEATURES

- 9 Chanel input
- Up to 12Mp resolution recording
- Ultra 265, H.265, H.264
- 2 SATA HDD, up to 8TB for each HDD
- Built-in alarm input, ouput terminal
- Smart Function: Face detection, Intrusion detection, Cross line detection, Audio detection, Defocus detection, Scene change detection, Auto tracking, Face search, Behavior search, People counting

## Specification

|                           |                      |   |
|---------------------------|----------------------|---|
|                           | <b>Model</b>         | <b>HU-RN2209M</b>   |
| <b>Video/Audio Input</b>  | IP video input       | 9ch   |
|                           | Two-way Audio Input  | 1-ch, RCA   |
| <b>Video/Audio Output</b> | HDMI/VGA output      | HDMI:<br>3840x2160/ 1920x1080p/ 1600x1200<br>1280x1024/ 1280x720/ 1024x768<br>VGA:<br>1920x1080p/ 1280x1024/ 1280x720/ 1024x768                   |
|                           | Two-way Audio output | 1ch, RCA  |
|                           | Recording resolution | 12MP/8MP/6MP/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF  |
|                           | Synchronous playback | 9ch   |
|                           | Live View Display    | 1/4/6/8/9   |
|                           | Corridor mode screen | 3/4/5/7/9   |
| <b>Network</b>            | Protocols            | TCP/IP, P2P, UPnP, NTP, DHCP, PPPoE, HTTP, TTPS, DNS, DDNS, SNMP, SMTP, NFS   |
|                           | Network interface    | 2 RJ45 10/100/1000M- Ethernet   |
|                           | Incoming Bandwidth   | 320Mbps   |
|                           | Output Bandwidth     | 320Mbps   |
|                           | Remote users         | 128   |
|                           | Client               | HU-Viewer, HU-VMS   |
| <b>Decoding</b>           | Video compression    | Ultra 265/H.265/H.264   |
|                           | Live view/Playback   | 12MP/8MP/6MP/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF  |
|                           | Capability           | 1CH x 12MP@30fps, 2CH x 4K@30fps<br>5CH x 4MP@30fps, 9CH x 1080P@30fps  |
| <b>Storage</b>            | Interface Type       | 2 SATA  |
|                           | Capacity             | Up to 8TB for each disk   |
| <b>Event alarm</b>        | General Alarm        | Motion, Tampering, Human Body Detection, Video Loss, Input Alarm, Audio Detection   |
|                           | Alert Alarm          | IP Conflict, Network Disconnected, Disk Offline , Disk Abnormal, Illegal Access, Hard Disk Space Low, Hard Disk Full, Recording/Snapshot Abnormal |

## Specification

|                           |                      |   |
|---------------------------|----------------------|---|
| <b>Smart</b>              | VCA Detection        | Intrusion Detection, Cross Line Detection, Enter Area, Leave Area, Defocus Detection, Scene Change Detection, Object Left Behind, Object Removed, Auto Tracking |
|                           | VCA Search           | Behavior search, Vehicle Search   |
|                           | Statistical Analysis | People flow counting, Crow density Monitoring   |
| <b>External Interface</b> | Alarm In             | 8-ch  |
|                           | Alarm Out            | 2-ch  |
|                           | RS485                | 1   |
|                           | USB interface        | 2 USB2.0, 1 USB3.0  |
| <b>General</b>            | Power Supply         | 12V DC/ 3.3A Max 12W( without HDD )   |
|                           | Working enviromnet   | -10°C ~ + 55°C ( +14°F ~ +131°F )<br>Humidity ≤ 90% RH(non-condensing)  |
|                           | Dimension(WxDxH)     | 380mm × 315mm ×53mm (15.0" × 12.4" ×2.1" )  |
|                           | Weight(without HDD)  | 1.8kg   |